
HPE Networking Comware Switch Series 5520 HI



What's new

- Larger MAC tables (up to 64K), Longest Prefix Match (LPM), switching capacity of up to 336 Gbps and throughput of upto 180 Mpps enable faster switching.
- Smart Management Center (SmartMC) provides centralized network management and maintains dispersed network edge devices at no additional cost.
- Virtual Extensible LAN (VXLAN) and Ethernet VPN (EVPN) enable both isolation and greater scalability of L2/L3 overlay services and multicast.
- New made in USA TAA-compliant SKUs offer heightened security via manual and automated source code analysis to address common

Overview

The HPE Networking Comware Switch Series 5520 HI delivers superior performance, high availability and manageability with advanced features at the access and aggregation layer of medium and large enterprise networks.

These switches deliver faster performance and advanced L3 features with support for larger ARP/MAC tables and Longest Prefix Match (LPM). VXLAN and EVPN enable greater scalability. Support for Virtual Router Redundancy Protocol (VRRP), Equal-Cost Multipath (ECMP) and Bi-directional Forwarding Detection (BFD) provide resiliency. Intelligent Resilient framework (IRF) ensures high availability. Support for IPv4/IPv6, OpenFlow, and MPLS/VPLS features for investment protection with an easy transition from IPv4 to IPv6 networks.

These switches also include SmartMC at no additional cost, and when combined with Intelligent Management Center (IMC), it provides both embedded network management and enhanced network visibility.

programming issues, easing concerns about 'made in China' products.

Features

Powerful Performance

The HPE Networking Comware Switch Series 5520 HI provides medium and large enterprise networks with increased processing power, Larger MAC size tables, and Longest Prefix Match (LPM) to improve network performance and scalability by enabling multipathing.

Non-blocking architecture delivers up to 336 Gbps of wire-speed switching and up to 180 Mpps throughput.

Supports Equal-Cost Multipath that enables multiple equal-cost links in a routing environment to increase link redundancy and scale bandwidth.

Highly Resilient and Scalable Access Layer Switches

The HPE Networking Comware Switch Series 5520 HI uses Intelligent Resilient Framework (IRF) that supports virtualization of up to nine physical switches into one logical device for simpler, flatter, and more agile networks.

Delivers outstanding resiliency, security, and multiservice support capabilities for traditional large enterprise networks. It supports advanced technologies such as OAM, RRPP, BFD, Multi-level QoS, MPLS, and VPLS.

Dual, redundant, hot-swappable power supplies maintain a dynamic network that delivers up to 1440 Watts of PoE+ for powered cameras, phones, and wireless access points.

Supports Virtual Routing Redundancy Protocol (VRRP) where groups of two routers can dynamically back each other up to create highly available routed environments.

Virtual Extensible LAN (VXLAN) and Ethernet VPN (EVPN) allow greater flexibility to integrate into existing networks, better scalability without redesigning the underlay network, enhanced security to restrict attacks, and improved performance specially in spine-leaf architectures.

Robust Quality of Service (QoS)

The 5520 HI Series supports advanced classifier-based QoS which groups traffic using multiple match criteria based on Layer 2 and 3 information; it applies QoS policies such as setting priority level and rate limit to selected traffic on a port, VLAN, or the entire switch.

Provides extensive traffic prioritization with strict priority (SP) queuing, weighted round robin (WRR), weighted fair queuing (WFQ), weighted random early discard (WRED), weighted deficit round robin (WDRR), SP+WDRR, and SP+WFQ.

Broadcast control and limitation of broadcast traffic rate can reduce unwanted network traffic

Comprehensive Security and Simplified Management

The 5520 HI Series supports flexible authentication methods including 802.1X and MAC Authentication and Encryption for greater device security and policy-driven application authentication. Per-user Access Control Lists (ACLs) provide identity-driven security and access control.

Dynamic ARP protection with functions such as ARP Detection and ARP packet validation that block broadcasts from unauthorized hosts, prevent eavesdropping or theft of network data.

Centralized security policy management and network protection with HPE Intelligent Management Center (IMC), which leverages End User Admission Domination (EAD) integrated security policies, network access control and access right control policies for a comprehensive integrated security system.

Supports SmartMC, an embedded network management tool, with a web-based GUI to simplify operations and facilitate centralized management at no additional cost. It offers features such as configuration backup, software version management, and seamless switch replacement.

Technical specifications	HPE Networking Comware Switch Series 5520 HI
Power consumption	150W (maximum)
Heat dissipation	Ranges from 81 BTU/hr to 324 BTU/hr and 81 BTU/hr to 416 BTU/hr depending on power supply configuration
Input voltage	90 to 264 VAC and -36 to -72 VDC
Ports	(48) 10/100/1000 BASE-T ports and (4) SFP+ ports maximum OR (16) 10/100/1000 BASE-T ports (8) combo SFP or RJ45 ports (4) SFP+ ports OR (16) BASE-X SFP (8) combo SFP or RJ45 ports (4) SFP+ ports (1) port expansion module slot PoE+ available, depending on model
Latency	1000 Mb Latency: < 5 µs 10 Gbps Latency: < 3 µs
Routing/switching capacity	336 Gbps maximum, depending on model
Switching capacity	From 288 Gbps to 336 Gbps depening on the model
Stacking capabilities	IRF 9 switches
Throughput	180 Mpps maximum
Memory and processor	2 GB SDRAM Packet buffer size: 4 MB, 512 MB flash
Management features	IMC - Intelligent Management Center Command-line interface SNMP manager
Warranty	Limited lifetime warranty. See the warranty duration guide.

SKU comparison

	HPE Networking Comware Switch 24 10/100/1000BASE-T 4 10G/1G BASE-X SFP+ 1 Exp 2 Fan Tray 2 PS 5520HI (R8M28A)	HPE Networking Comware Switch 24 SFP 4 10G/1G BASE-X SFP+ 1 Exp slot 2 Fan Tray 2 PS 5520HI (R8M27A)	HPE Networking Comware Switch 24p 10/100/1000BASE-T 4p SFP+ 1 Exp 2 PS Slot 5520HI (R8M25A)	HPE Networking Comware Switch 24p 10/100/1000BASE-T 4p SFP+ 1G/10G 1-slot 2xFan 2xPSU TAA 5520HI (S3K91A)	HPE Networking Comware Switch 24p SFP 1G 4p SFP+ 1G/10G 1-slot 2xFan 2xPSU TAA 5520HI (S3K93A)
Differentiator	Layer 3 switch with 24 10/100/1000 PoE+ ports, 4 1/10GbE SFP+ and 1 expansion module slots supports Intelligent Resilient Framework (IRF) virtual fabric and dual hot pluggable power supplies	Layer 3 switch with 16 100/1000 BASE-X SFP ports, 8 combo SFP or RJ45, 4 1/10GbE SFP+ and 1 expansion module slots supports Intelligent Resilient Framework (IRF) virtual fabric and dual hot pluggable power supplies	Layer 3 switch with 16 10/100/1000 BASE-T ports, 8 combo SFP or RJ45 ports, 4 1/10GbE SFP+ and 1 expansion module slots Supports Intelligent Resilient Framework (IRF) virtual fabric and dual hot pluggable power supplies	Layer 3 switch with 16 10/100/1000 BASE-T ports, 8 combo SFP or RJ45 ports, 4 1/10GbE SFP+ and 1 expansion module slots Supports Intelligent Resilient Framework (IRF) virtual fabric and dual hot pluggable power supplies	Layer 3 switch with 16 100/1000 BASE-X SFP ports, 8 combo SFP or RJ45, 4 1/10GbE SFP+ and 1 expansion module slots supports Intelligent Resilient Framework (IRF) virtual fabric and dual hot pluggable power supplies
Power consumption	1110W (maximum)	150W (maximum)	150W (maximum)	150W (maximum)	150W (maximum)
Heat dissipation	Ranges from 105 BTU/hr to 3166 BTU/hr depending on power supply configuration	Ranges from 81 BTU/hr to 416 BTU/hr depending on power supply configuration	Ranges from 81 BTU/hr to 324BTU/hr depending on power supply configuration	Ranges from 81 BTU/hr to 324BTU/hr depending on power supply configuration	Ranges from 81 BTU/hr to 416 BTU/hr depending on power supply configuration
Input voltage	90 to - 264 VAC and -36 to -72 VDC	90 to - 264 VAC and -36 to -72 VDC	90 to - 264 VAC and -36 to -72 VDC	90 to 264 VAC and -36 to -72 VDC	90 to 264 VAC and -36 to -72 VDC
Ports	(24) RJ-45 autosensing 100/1000 BASE-T ports(PoE+); Duplex: Ports 1-24 support 10BASE-T/100BASE-TX, 1000BASE-T (full only), (4) SFP+ 1/10GbE ports, (1) port expansion module slot.	(16) fixed Gigabit Ethernet SFP ports (8) SFP dual-personality ports - 10/100/1000 BASE-T RJ-45 or 100/1000BASE-X Combo Ports (4) SFP+ 1/10GbE ports, (1) port expansion module slot.	(16) 10/100/1000BASE-T RJ-45 ports (8) dual-personality ports - 10/100/1000BASE-T RJ-45 or 100/1000BASE-X Combo Ports; Duplex: Ports 1-24 support 10BASE-T/100BASE-TX, 1000BASE-T (full only), (4) SFP+ 1/10GbE ports, (1) port expansion module slot.	(16) 10/100/1000BASE-T RJ-45 ports (8) dual-personality ports - 10/100/1000BASE-T RJ-45 or 100/1000BASE-X Combo Ports; Duplex: Ports 1-24 support 10BASE-T/100BASE-TX, 1000BASE-T (full only), (4) SFP+ 1/10GbE ports, (1) port expansion module slot.	(16) fixed Gigabit Ethernet SFP ports (8) SFP dual-personality ports - 10/100/1000 BASE-T RJ-45 or 100/1000BASE-X Combo Ports (4) SFP+ 1/10GbE ports, (1) port expansion module slot.
Latency	1000 Mb Latency: < 5 µs 10 Gbps Latency: < 3 µs				
Routing/switching capacity	288 Gbps				

	HPE Networking Comware Switch 24 10/100/1000BASE-T 4 10G/1G BASE-X SFP+ 1 Exp 2 Fan Tray 2 PS 5520HI (R8M28A)	HPE Networking Comware Switch 24 SFP 4 10G/1G BASE-X SFP+ 1 Exp slot 2 Fan Tray 2 PS 5520HI (R8M27A)	HPE Networking Comware Switch 24p 10/100/1000BASE-T 4p SFP+ 1 Exp 2 PS Slot 5520HI (R8M25A)	HPE Networking Comware Switch 24p 10/100/1000BASE-T 4p SFP+ 1G/10G 1-slot 2xFan 2xPSU TAA 5520HI (S3K91A)	HPE Networking Comware Switch 24p SFP 1G 4p SFP+ 1G/10G 1-slot 2xFan 2xPSU TAA 5520HI (S3K93A)
Switching capacity	From 288 Gbps to 336 Gbps depening on the model	288 Gbps	288 Gbps	288 Gbps	288 Gbps
Stacking capabilities	IRF 9 switches				
Throughput	up to 180 Mpps	up to 180 Mpps	up to 180 Mpps	180 Mpps maximum	180 Mpps maximum
Memory and processor	2 GB SDRAM; Packet buffer size: 4 MB, 512 MB flash				
PoE capability	720W PoE+				
Management features	IMC - Intelligent Management Center; Command-line interface; SNMP manager				
Warranty	Limited lifetime warranty. See the warranty duration guide.				

	HPE Networking Comware Switch 48 10/100/1000BASE-T 4 10G/1G BASE-X SFP+ 1 Exp 2 Fan Tray 2 PS 5520HI (R8M29A)	HPE Networking Comware Switch 48G 10/100/1000BASE-T 4 10G/1G BASE-X 5520HI (R8M26A)	HPE Networking Comware Switch 48p 10/100/1000BASE-T 4p SFP+ 1G/10G 1-slot 2xFan 2xPSU TAA 5520HI (S3K92A)
Differentiator	Layer 3 switch with 48 10/100/1000 PoE+ ports 4 1/10GbE SFP+ and 1 expansion module slots supports Intelligent Resilient Framework (IRF) virtual fabric and dual hot pluggable power supplies	Layer 3 switch with 48 10/100/1000 BASE-T ports, 4 1/10GbE SFP+ and 1 expansion module slots supports Intelligent Resilient Framework (IRF) virtual fabric and dual hot pluggable power supplies	Layer 3 switch with 48 10/100/1000 BASE-T ports, 4 1/10GbE SFP+ and 1 expansion module slots supports Intelligent Resilient Framework (IRF) virtual fabric and dual hot pluggable power supplies
Power consumption	1110W (maximum)	150W (maximum)	150W (maximum)
Heat dissipation	Ranges from 112 BTU/hr to 5943 BTU/hr depending on power supply configuration	Ranges from 81 BTU/hr to 327BTU/hr depending on power supply configuration	Ranges from 81 BTU/hr to 327BTU/hr depending on power supply configuration
Input voltage	90 to - 264 VAC and -36 to -72 VDC	90 to - 264 VAC and -36 to -72 VDC	90 to 264 VAC and -36 to -72 VDC
Ports	(48) RJ-45 autosensing 10/100/1000 BASE-T ports(PoE+); Duplex: Ports 1-48 support 10BASE-T/100BASE-TX, 1000BASE-T (full only), (4) SFP+ 1/10GbE ports, (1) port expansion module slot.	(48) RJ-45 autosensing 10/100/1000 BASE-T ports; Duplex: Ports 1-48 support 10BASE-T/100BASE-TX, 1000BASE-T (full only), (4) SFP+ 1/10GbE ports, (1) port expansion module slot.	(48) RJ-45 autosensing 10/100/1000 BASE-T ports; Duplex: Ports 1-48 support 10BASE-T/100BASE-TX, 1000BASE-T (full only), (4) SFP+ 1/10GbE ports, (1) port expansion module slot.
Latency	1000 Mb Latency: < 5 µs 10 Gbps Latency: < 3 µs		
Routing/switching capacity	336 Gbps		
Switching capacity	From 288 Gbps to 336 Gbps depening on the model	336 Gbps	336 Gbps
Stacking capabilities	IRF 9 switches		
Throughput	up to 180 Mpps	up to 180 Mpps	180 Mpps maximum
Memory and processor	2 GB SDRAM; Packet buffer size: 4 MB, 512 MB flash		
PoE capability	1440W PoE+		
Management features	IMC - Intelligent Management Center; Command-line interface; SNMP manager		
Warranty	Limited lifetime warranty. See the warranty duration guide.		

Related Options

The following options are available for these series:

SKU	Description
Cables/Cable Kits	
JD095C	HPE Networking X240 10G SFP+ SFP+ 0.65m DAC Cable
JD096C	HPE Networking X240 10G SFP+ SFP+ 1.2m DAC Cable
JD097C	HPE Networking X240 10G SFP+ SFP+ 3m DAC Cable
JG081C	HPE Networking X240 10G SFP+ SFP+ 5m DAC Cable
JL294A	HPE Networking X240 25G SFP28 to SFP28 1m DAC Cable
JL295A	HPE Networking X240 25G SFP28 to SFP28 3m DAC Cable
JL296A	HPE Networking X240 25G SFP28 to SFP28 5m DAC Cable
Networking Options	
JH155A	HPE Networking Comware Module 2-port 40G QSFP+ 5520HI/5600HI
S0T06A	HPE Networking Comware Module 2-port SFP28 5140HI/5520HI/5600HI
R9L65A	HPE Networking Comware Module 2p 10GBASE-T MACsec 5140/5520
S0T04A	HPE Networking Comware Module 4-port 1/10G SFP+ 5140HI/5520HI/5600HI
S0T02A	HPE Networking Comware Module 4-port 10/100/1000Base-T 6-port SFP (2P Combo) 5140HI/5520HI/5600HI
S0T03A	HPE Networking Comware Module 8 Port SFP+ 5520HI/5600HI
S0T05A	HPE Networking Comware Module 8-port 1/2.5/5/10GBASE-T 5140HI/5520HI/5600HI
JH157A	HPE Networking Comware Module 10GbE SFP+MACsec128 2p 5140HI/5520HI
Power Management Options	
JD366B	HPE Networking X361 150W 48-60VDC to 12VDC Power Supply
JD362B	HPE Networking X361 150W 100-240VAC to 12VDC Power Supply
JG544A	HPE Networking X362 720W 100-240VAC to 56VDC PoE Power Supply
JG545A	HPE Networking X362 1110W 115-240VAC to 56VDC PoE Power Supply
Transceiver Options	
JL855A	HPE Networking 25G SFP28 LC LR 10km SMF Transceiver
JG326A	HPE Networking Comware X240 40G QSFP+ QSFP+ 1m Direct Attach Copper Cable
JG327A	HPE Networking Comware X240 40G QSFP+ QSFP+ 3m Direct Attach Copper Cable
JG328A	HPE Networking Comware X240 40G QSFP+ QSFP+ 5m Direct Attach Copper Cable
JG329A	HPE Networking Comware X240 40G QSFP+ to 4x10G SFP+ 1m Direct Attach Copper Splitter Cable
JG330A	HPE Networking Comware X240 40G QSFP+ to 4x10G SFP+ 3m Direct Attach Copper Splitter Cable

JG331A	HPE Networking Comware X240 40G QSFP+ to 4x10G SFP+ 5m Direct Attach Copper Splitter Cable
JL290A	HPE Networking X2A0 10G SFP+ to SFP+ 7m Active Optical Cable
JL291A	HPE Networking X2A0 10G SFP+ to SFP+ 10m Active Optical Cable
JL292A	HPE Networking X2A0 10G SFP+ to SFP+ 20m Active Optical Cable
JH955A	HPE Networking X2A0 25G SFP28 to SFP28 3m Active Optical Cable
JH956A	HPE Networking X2A0 25G SFP28 to SFP28 5m Active Optical Cable
JD120B	HPE Networking X110 100M SFP LC LX Transceiver
JD101A	HPE Networking X115 100M SFP LC BX 10-D Transceiver
JD100A	HPE Networking X115 100M SFP LC BX 10-U Transceiver
JD102B	HPE Networking X115 100M SFP LC FX Transceiver
JD099B	HPE Networking X120 1G SFP LC BX 10-D Transceiver
JD098B	HPE Networking X120 1G SFP LC BX 10-U Transceiver
JD103A	HPE Networking X120 1G SFP LC LH100 Transceiver
JD119B	HPE Networking X120 1G SFP LC LX Transceiver
JD118B	HPE Networking X120 1G SFP LC SX Transceiver
JD089B	HPE Networking X120 1G SFP RJ45 T Transceiver
JL738A	HPE Networking X130 10G SFP+ LC BiDi 10km-Downlink Transceiver
JL737A	HPE Networking X130 10G SFP+ LC BiDi 10km-Uplink Transceiver
JL740A	HPE Networking X130 10G SFP+ LC BiDi 40km-Downlink Transceiver
JL739A	HPE Networking X130 10G SFP+ LC BiDi 40km-Uplink Transceiver
JG234A	HPE Networking X130 10G SFP+ LC ER 40km Transceiver
JG915A	HPE Networking X130 10G SFP+ LC LH 80km Transceiver
JD094B	HPE Networking X130 10G SFP+ LC LR Transceiver
JD092B	HPE Networking X130 10G SFP+ LC SR Transceiver
JG709A	HPE Networking X140 40G QSFP+ CSR4 300m Transceiver
JL251A	HPE Networking X140 40G QSFP+ LC BiDi 100m MM Transceiver
JG661A	HPE Networking X140 40G QSFP+ LC LR4 SM 10km 1310nm Transceiver
JL286A	HPE Networking X140 40G QSFP+ LC LR4L 2km SM Transceiver
JG325B	HPE Networking X140 40G QSFP+ MPO SR4 Transceiver
JL293A	HPE Networking X190 25G SFP28 LC SR 100m MM Transceiver

Related Services

The following services are available for these series:

SKU	Description

Technology Services

U0TJ6E	HPE Aruba Networking Foundational Care 1Y 4HR Exch 55xx 24G 4SFP Switch SVC
U0UC8E	HPE Aruba Networking Foundational Care 1Y 4HR Exch 55xx 24G PoE 4SFP Switch SVC
U0UX0E	HPE Aruba Networking Foundational Care 1Y 4HR Exch 55xx 24G SFP 4SFP Switch SVC
U0TT7E	HPE Aruba Networking Foundational Care 1Y 4HR Exch 55xx 48G 4SFP Switch SVC
U0UM9E	HPE Aruba Networking Foundational Care 1Y 4HR Exch 55xx 48G PoE 4SFP Switch SVC
U0TJ9E	HPE Aruba Networking Foundational Care 1Y 4HR Onsite 55xx 24G 4SFP Switch SVC
U0UD1E	HPE Aruba Networking Foundational Care 1Y 4HR Onsite 55xx 24G PoE 4SFP Switch SVC
U0UX3E	HPE Aruba Networking Foundational Care 1Y 4HR Onsite 55xx 24G SFP 4SFP Switch SVC
U0TU0E	HPE Aruba Networking Foundational Care 1Y 4HR Onsite 55xx 48G 4SFP Switch SVC
U0UN2E	HPE Aruba Networking Foundational Care 1Y 4HR Onsite 55xx 48G PoE 4SFP Switch SVC
U0TK0E	HPE Aruba Networking Foundational Care 1Y 4HR Onsite CDMR 55xx 24G 4SFP Switch SVC
U0UD2E	HPE Aruba Networking Foundational Care 1Y 4HR Onsite CDMR 55xx 24G PoE 4SFP Switch SVC
U0UX4E	HPE Aruba Networking Foundational Care 1Y 4HR Onsite CDMR 55xx 24G SFP 4SFP Switch SVC
U0TU1E	HPE Aruba Networking Foundational Care 1Y 4HR Onsite CDMR 55xx 48G 4SFP Switch SVC
U0UN3E	HPE Aruba Networking Foundational Care 1Y 4HR Onsite CDMR 55xx 48G PoE 4SFP Switch SVC
U0TK1E	HPE Aruba Networking Foundational Care 1Y CTR 6-Hour 55xx 24G 4SFP Switch SVC
U0UD3E	HPE Aruba Networking Foundational Care 1Y CTR 6-Hour 55xx 24G PoE 4SFP Switch SVC
U0UX5E	HPE Aruba Networking Foundational Care 1Y CTR 6-Hour 55xx 24G SFP 4SFP Switch SVC
U0TU2E	HPE Aruba Networking Foundational Care 1Y CTR 6-Hour 55xx 48G 4SFP Switch SVC
U0UN4E	HPE Aruba Networking Foundational Care 1Y CTR 6-Hour 55xx 48G PoE 4SFP Switch SVC
U0TK2E	HPE Aruba Networking Foundational Care 1Y CTR 6-Hour CDMR 55xx 24G 4SFP Switch SVC
U0UD4E	HPE Aruba Networking Foundational Care 1Y CTR 6-Hour CDMR 55xx 24G PoE 4SFP Switch SVC
U0UX6E	HPE Aruba Networking Foundational Care 1Y CTR 6-Hour CDMR 55xx 24G SFP 4SFP Switch SVC
U0TU3E	HPE Aruba Networking Foundational Care 1Y CTR 6-Hour CDMR 55xx 48G 4SFP Switch SVC
U0UN5E	HPE Aruba Networking Foundational Care 1Y CTR 6-Hour CDMR 55xx 48G PoE 4SFP Switch SVC
U0TJ5E	HPE Aruba Networking Foundational Care 1Y NBD Exch 55xx 24G 4SFP Switch SVC
U0UC7E	HPE Aruba Networking Foundational Care 1Y NBD Exch 55xx 24G PoE 4SFP Switch SVC
U0UW9E	HPE Aruba Networking Foundational Care 1Y NBD Exch 55xx 24G SFP 4SFP Switch SVC
U0TT6E	HPE Aruba Networking Foundational Care 1Y NBD Exch 55xx 48G 4SFP Switch SVC
U0UM8E	HPE Aruba Networking Foundational Care 1Y NBD Exch 55xx 48G PoE 4SFP Switch SVC
U0TJ7E	HPE Aruba Networking Foundational Care 1Y NBD Onsite 55xx 24G 4SFP Switch SVC
U0UC9E	HPE Aruba Networking Foundational Care 1Y NBD Onsite 55xx 24G PoE 4SFP Switch SVC
U0UX1E	HPE Aruba Networking Foundational Care 1Y NBD Onsite 55xx 24G SFP 4SFP Switch SVC
U0TT8E	HPE Aruba Networking Foundational Care 1Y NBD Onsite 55xx 48G 4SFP Switch SVC

U0UN0E	HPE Aruba Networking Foundational Care 1Y NBD Onsite 55xx 48G PoE 4SFP Switch SVC
U0TJ8E	HPE Aruba Networking Foundational Care 1Y NBD Onsite CDMR 55xx 24G 4SFP Switch SVC
U0UD0E	HPE Aruba Networking Foundational Care 1Y NBD Onsite CDMR 55xx 24G PoE 4SFP Switch SVC
U0UX2E	HPE Aruba Networking Foundational Care 1Y NBD Onsite CDMR 55xx 24G SFP 4SFP Switch SVC
U0TT9E	HPE Aruba Networking Foundational Care 1Y NBD Onsite CDMR 55xx 48G 4SFP Switch SVC
U0UN1E	HPE Aruba Networking Foundational Care 1Y NBD Onsite CDMR 55xx 48G PoE 4SFP Switch SVC
U0TK4E	HPE Aruba Networking Foundational Care 3Y 4HR Exch 55xx 24G 4SFP Switch SVC
U0UD6E	HPE Aruba Networking Foundational Care 3Y 4HR Exch 55xx 24G PoE 4SFP Switch SVC
U0UX8E	HPE Aruba Networking Foundational Care 3Y 4HR Exch 55xx 24G SFP 4SFP Switch SVC
U0TU5E	HPE Aruba Networking Foundational Care 3Y 4HR Exch 55xx 48G 4SFP Switch SVC
U0UN7E	HPE Aruba Networking Foundational Care 3Y 4HR Exch 55xx 48G PoE 4SFP Switch SVC
U0TL4E	HPE Aruba Networking Foundational Care 3Y 4HR Onsite 55xx 24G 4SFP Switch SVC
U0UE6E	HPE Aruba Networking Foundational Care 3Y 4HR Onsite 55xx 24G PoE 4SFP Switch SVC
U0UY8E	HPE Aruba Networking Foundational Care 3Y 4HR Onsite 55xx 24G SFP 4SFP Switch SVC
U0TV5E	HPE Aruba Networking Foundational Care 3Y 4HR Onsite 55xx 48G 4SFP Switch SVC
U0UP7E	HPE Aruba Networking Foundational Care 3Y 4HR Onsite 55xx 48G PoE 4SFP Switch SVC
U0TL5E	HPE Aruba Networking Foundational Care 3Y 4HR Onsite CDMR 55xx 24G 4SFP Switch SVC
U0UE7E	HPE Aruba Networking Foundational Care 3Y 4HR Onsite CDMR 55xx 24G PoE 4SFP Switch SVC
U0UY9E	HPE Aruba Networking Foundational Care 3Y 4HR Onsite CDMR 55xx 24G SFP 4SFP Switch SVC
U0TV6E	HPE Aruba Networking Foundational Care 3Y 4HR Onsite CDMR 55xx 48G 4SFP Switch SVC
U0UP8E	HPE Aruba Networking Foundational Care 3Y 4HR Onsite CDMR 55xx 48G PoE 4SFP Switch SVC
U0TM0E	HPE Aruba Networking Foundational Care 3Y CTR 6-Hour 55xx 24G 4SFP Switch SVC
U0UF2E	HPE Aruba Networking Foundational Care 3Y CTR 6-Hour 55xx 24G PoE 4SFP Switch SVC
U0UZ4E	HPE Aruba Networking Foundational Care 3Y CTR 6-Hour 55xx 24G SFP 4SFP Switch SVC
U0TW1E	HPE Aruba Networking Foundational Care 3Y CTR 6-Hour 55xx 48G 4SFP Switch SVC
U0UQ3E	HPE Aruba Networking Foundational Care 3Y CTR 6-Hour 55xx 48G PoE 4SFP Switch SVC
U0TM1E	HPE Aruba Networking Foundational Care 3Y CTR 6-Hour CDMR 55xx 24G 4SFP Switch SVC
U0UF3E	HPE Aruba Networking Foundational Care 3Y CTR 6-Hour CDMR 55xx 24G PoE 4SFP Switch SVC
U0UZ5E	HPE Aruba Networking Foundational Care 3Y CTR 6-Hour CDMR 55xx 24G SFP 4SFP Switch SVC
U0TW2E	HPE Aruba Networking Foundational Care 3Y CTR 6-Hour CDMR 55xx 48G 4SFP Switch SVC
U0UQ4E	HPE Aruba Networking Foundational Care 3Y CTR 6-Hour CDMR 55xx 48G PoE 4SFP Switch SVC
U0TK3E	HPE Aruba Networking Foundational Care 3Y NBD Exch 55xx 24G 4SFP Switch SVC
U0UD5E	HPE Aruba Networking Foundational Care 3Y NBD Exch 55xx 24G PoE 4SFP Switch SVC
U0UX7E	HPE Aruba Networking Foundational Care 3Y NBD Exch 55xx 24G SFP 4SFP Switch SVC
U0TU4E	HPE Aruba Networking Foundational Care 3Y NBD Exch 55xx 48G 4SFP Switch SVC
U0UN6E	HPE Aruba Networking Foundational Care 3Y NBD Exch 55xx 48G PoE 4SFP Switch SVC

U0TK7E	HPE Aruba Networking Foundational Care 3Y NBD Onsite 55xx 24G 4SFP Switch SVC
U0UD9E	HPE Aruba Networking Foundational Care 3Y NBD Onsite 55xx 24G PoE 4SFP Switch SVC
U0UY1E	HPE Aruba Networking Foundational Care 3Y NBD Onsite 55xx 24G SFP 4SFP Switch SVC
U0TU8E	HPE Aruba Networking Foundational Care 3Y NBD Onsite 55xx 48G 4SFP Switch SVC
U0UP0E	HPE Aruba Networking Foundational Care 3Y NBD Onsite 55xx 48G PoE 4SFP Switch SVC
U0TK8E	HPE Aruba Networking Foundational Care 3Y NBD Onsite CDMR 55xx 24G 4SFP Switch SVC
U0UE0E	HPE Aruba Networking Foundational Care 3Y NBD Onsite CDMR 55xx 24G PoE 4SFP Switch SVC
U0UY2E	HPE Aruba Networking Foundational Care 3Y NBD Onsite CDMR 55xx 24G SFP 4SFP Switch SVC
U0TU9E	HPE Aruba Networking Foundational Care 3Y NBD Onsite CDMR 55xx 48G 4SFP Switch SVC
U0UP1E	HPE Aruba Networking Foundational Care 3Y NBD Onsite CDMR 55xx 48G PoE 4SFP Switch SVC
U0TQ0E	HPE Aruba Networking Foundational Care 5Y 4HR Exch 55xx 24G 4SFP Switch SVC
U0UJ2E	HPE Aruba Networking Foundational Care 5Y 4HR Exch 55xx 24G PoE 4SFP Switch SVC
U0VC4E	HPE Aruba Networking Foundational Care 5Y 4HR Exch 55xx 24G SFP 4SFP Switch SVC
U0TZ1E	HPE Aruba Networking Foundational Care 5Y 4HR Exch 55xx 48G 4SFP Switch SVC
U0UT3E	HPE Aruba Networking Foundational Care 5Y 4HR Exch 55xx 48G PoE 4SFP Switch SVC
U0TR0E	HPE Aruba Networking Foundational Care 5Y 4HR Onsite 55xx 24G 4SFP Switch SVC
U0UK2E	HPE Aruba Networking Foundational Care 5Y 4HR Onsite 55xx 24G PoE 4SFP Switch SVC
U6SS9E	HPE Aruba Networking Foundational Care 5Y 4HR Onsite 55xx 24G SFP 4SFP Switch SVC
U0UA1E	HPE Aruba Networking Foundational Care 5Y 4HR Onsite 55xx 48G 4SFP Switch SVC
U0UU3E	HPE Aruba Networking Foundational Care 5Y 4HR Onsite 55xx 48G PoE 4SFP Switch SVC
U0TR1E	HPE Aruba Networking Foundational Care 5Y 4HR Onsite CDMR 55xx 24G 4SFP Switch SVC
U0UK3E	HPE Aruba Networking Foundational Care 5Y 4HR Onsite CDMR 55xx 24G PoE 4SFP Switch SVC
U6ST0E	HPE Aruba Networking Foundational Care 5Y 4HR Onsite CDMR 55xx 24G SFP 4SFP Switch SVC
U0UA2E	HPE Aruba Networking Foundational Care 5Y 4HR Onsite CDMR 55xx 48G 4SFP Switch SVC
U0UU4E	HPE Aruba Networking Foundational Care 5Y 4HR Onsite CDMR 55xx 48G PoE 4SFP Switch SVC
U0TR6E	HPE Aruba Networking Foundational Care 5Y CTR 6-Hour 55xx 24G 4SFP Switch SVC
U0UK8E	HPE Aruba Networking Foundational Care 5Y CTR 6-Hour 55xx 24G PoE 4SFP Switch SVC
U6ST3E	HPE Aruba Networking Foundational Care 5Y CTR 6-Hour 55xx 24G SFP 4SFP Switch SVC
U0UA7E	HPE Aruba Networking Foundational Care 5Y CTR 6-Hour 55xx 48G 4SFP Switch SVC
U0UU9E	HPE Aruba Networking Foundational Care 5Y CTR 6-Hour 55xx 48G PoE 4SFP Switch SVC
U0TR7E	HPE Aruba Networking Foundational Care 5Y CTR 6-Hour CDMR 55xx 24G 4SFP Switch SVC
U0UK9E	HPE Aruba Networking Foundational Care 5Y CTR 6-Hour CDMR 55xx 24G PoE 4SFP Switch SVC
U6ST4E	HPE Aruba Networking Foundational Care 5Y CTR 6-Hour CDMR 55xx 24G SFP 4SFP Switch SVC
U0UA8E	HPE Aruba Networking Foundational Care 5Y CTR 6-Hour CDMR 55xx 48G 4SFP Switch SVC
U0UV0E	HPE Aruba Networking Foundational Care 5Y CTR 6-Hour CDMR 55xx 48G PoE 4SFP Switch SVC
U0TP9E	HPE Aruba Networking Foundational Care 5Y NBD Exch 55xx 24G 4SFP Switch SVC

U0UJ1E	HPE Aruba Networking Foundational Care 5Y NBD Exch 55xx 24G PoE 4SFP Switch SVC
U0VC3E	HPE Aruba Networking Foundational Care 5Y NBD Exch 55xx 24G SFP 4SFP Switch SVC
U0TZ0E	HPE Aruba Networking Foundational Care 5Y NBD Exch 55xx 48G 4SFP Switch SVC
U0UT2E	HPE Aruba Networking Foundational Care 5Y NBD Exch 55xx 48G PoE 4SFP Switch SVC
U0TQ3E	HPE Aruba Networking Foundational Care 5Y NBD Onsite 55xx 24G 4SFP Switch SVC
U0UJ5E	HPE Aruba Networking Foundational Care 5Y NBD Onsite 55xx 24G PoE 4SFP Switch SVC
U0VC7E	HPE Aruba Networking Foundational Care 5Y NBD Onsite 55xx 24G SFP 4SFP Switch SVC
U0TZ4E	HPE Aruba Networking Foundational Care 5Y NBD Onsite 55xx 48G 4SFP Switch SVC
U0UT6E	HPE Aruba Networking Foundational Care 5Y NBD Onsite 55xx 48G PoE 4SFP Switch SVC
U0TQ4E	HPE Aruba Networking Foundational Care 5Y NBD Onsite CDMR 55xx 24G 4SFP Switch SVC
U0UJ6E	HPE Aruba Networking Foundational Care 5Y NBD Onsite CDMR 55xx 24G PoE 4SFP Switch SVC
U0VC8E	HPE Aruba Networking Foundational Care 5Y NBD Onsite CDMR 55xx 24G SFP 4SFP Switch SVC
U0TZ5E	HPE Aruba Networking Foundational Care 5Y NBD Onsite CDMR 55xx 48G 4SFP Switch SVC
U0UT7E	HPE Aruba Networking Foundational Care 5Y NBD Onsite CDMR 55xx 48G PoE 4SFP Switch SVC
UX118E	HPE Aruba Networking Networks 55xx Series Switch Installation SVC
UX119E	HPE Aruba Networking Networks 55xx Startup SVC

HPE Services

No matter where you are in your transformation journey, you can count on HPE Services to deliver the expertise you need when, where and how you need it. From strategy and planning to deployment, ongoing operations and beyond, our experts can help you realize your digital ambitions.

Advisory & Professional services

Experts can help you map out your path to hybrid cloud and optimize your operations.

Managed services

HPE runs your IT operations, giving you unified control, so can focus on innovation.

Support services

Optimize your entire IT environment and drive innovation. Manage day-to-day IT operational tasks while freeing up valuable time and resources.

— **HPE Complete Care Service:** a modular service designed to help optimize your entire IT environment and achieve agreed upon IT outcomes and business goals. All delivered by an assigned team of HPE experts.

— **HPE Tech Care Service:** the operational service experience for HPE products. The service provides access to product specific experts, an AI driven digital experience, and general technical guidance to help reduce risk and search for ways to do things better.

— **HPE Multivendor Services:** Single point of accountability for managing on-site hardware and software support for multivendor products. HPE experts help manage your IT across technologies and platforms for HPE and non-HPE technologies, acting as the single point of contact for your IT operational needs.

Lifecycle Services

Address your specific IT deployment project needs with tailored project management and deployment services.

HPE Education Services

Training and certification designed for IT and business professionals across all industries. Create learning paths to expand proficiency in a specific subject. Schedule training in a way that works best for your business with flexible continuous learning options

Defective Media Retention is optional and allows you to retain Disk or eligible SSD/Flash Drives replaced by HPE due to malfunction.

GreenLake

GreenLake is the cloud to run and manage your entire hybrid landscape—private, public, and edge. It helps you to:

— Streamline IT Operations across compute, storage, and networking without the chaos

— Unify and secure data, as you move faster

— Accelerate AI, from pilot to production

The result: greater operational efficiency, lower TCO, and faster AI delivery—all from one unified, intelligent platform built for today's hybrid enterprise.

For additional technical information, available models and options, please reference the QuickSpecs

Visit HPE.com

Chat now

© Copyright 2026 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

Image may differ from the actual product.

PSN1013625618NLEN, October, 2026.

HEWLETT PACKARD ENTERPRISE

hpe.com