Have feedback on QuickSpecs? We're listening


# HPE DDR5 Standard Memory QuickSpecs

## HPE DDR5 Standard Memory delivers great performance, reliability, and efficiency.

Our large selection of server memory solutions provides the compatibility, capacity, and bandwidth you need to productively manage your expanding workload with HPE ProLiant Gen9, Gen10, and Gen10 Plus servers, Apollo family servers, Synergy systems, and Blade systems.

Overview

As workloads grow and data center trends such as server virtualization, cloud computing, and the use of large database applications increase the need for higher-capacity memory with greater uptime, the quality and reliability of DRAM become ever more important. HPE Smart Memory goes through additional rigorous qualification and testing processes that unlock extended memory performance features available only with HPE Gen9, Gen10, and Gen10 Plus servers. This extensive testing ensures that HPE server memory is completely compatible with and optimized for HPE servers.



**HPE DDR5 Standard Memory**

## What's New

- HPE Smart Memory 3200 MT/s memory supported on HPE Gen10 Plus AMD servers

# Models

## Registered Memory Kits

| | |
|---|---|
| HPE 32GB (1x32GB) Dual Rank x4 DDR4-2666 CAS-19-19-19 Registered Smart Memory Kit | 815100-X21 |
| HPE 16GB (1x16GB) Dual Rank x8 DDR4-2666 CAS-19-19-19 Registered Smart Memory Kit | 835955-X21 |
| HPE 8GB (1x8GB) Single Rank x8 DDR4-2933 CAS-21-21-21 Registered Smart Memory Kit | P00918-X21 |
| HPE 8GB (1x8GB) Single Rank x8 DDR4-2933 CAS-21-21-21 Registered Smart Memory Kit | P00918-H21 |
| HPE 8GB (1x8GB) Single Rank x8 DDR4-2933 CAS-21-21-21 Registered Smart Memory Kit | P00918-K21 |
| HPE 16GB (1x16GB) Single Rank x4 DDR4-2933 CAS-21-21-21 Registered Smart Memory Kit | P00920-X21 |
| HPE 16GB (1x16GB) Single Rank x4 DDR4-2933 CAS-21-21-21 Registered Smart Memory Kit | P00920-H21 |
| HPE 16GB (1x16GB) Single Rank x4 DDR4-2933 CAS-21-21-21 Registered Smart Memory Kit | P00920-K21 |
| HPE 16GB (1x16GB) Dual Rank x8 DDR4-2933 CAS-21-21-21 Registered Smart Memory Kit | P00922-X21 |
| HPE 32GB (1x32GB) Dual Rank x4 DDR4-2933 CAS-21-21-21 Registered Smart Memory Kit | P00924-X21 |
| HPE 64GB (1x64GB) Dual Rank x4 DDR4-2933 CAS-21-21-21 Registered Smart Memory Kit | P00930-X21 |
| HPE 16GB (1x16GB) Single Rank x4 DDR4-3200 CAS-22-22-22 Registered Smart Memory Kit | P06029-X21 |
| HPE 16GB (1x16GB) Dual Rank x8 DDR4-3200 CAS-22-22-22 Registered Smart Memory Kit | P06031-X21 |
| HPE 32GB (1x32GB) Dual Rank x4 DDR4-3200 CAS-22-22-22 Registered Smart Memory Kit | P06033-X21 |
| HPE 64GB (1x64GB) Dual Rank x4 DDR4-3200 CAS-22-22-22 Registered Smart Memory Kit | P06035-X21 |
| HPE 8GB (1x8GB) Single Rank x8 DDR4-3200 CAS-22-22-22 Registered Smart Memory Kit | P07525-X21 |
| HPE 8GB (1x8GB) Single Rank x8 DDR4-3200 CAS-22-22-22 Registered Smart Memory Kit | P07525-H21 |
| HPE 8GB (1x8GB) Single Rank x8 DDR4-3200 CAS-22-22-22 Registered Smart Memory Kit | P07525-K21 |
| HPE 8GB (1x8GB) Single Rank x8 DDR4-3200 CAS-22-22-22 Registered Smart Memory Kit | P07638-X21 |
| HPE 8GB (1x8GB) Single Rank x8 DDR4-3200 CAS-22-22-22 Registered Smart Memory Kit | P07638-H21 |
| HPE 16GB (1x16GB) Single Rank x4 DDR4-3200 CAS-22-22-22 Registered Smart Memory Kit. | P07640-X21 |
| HPE 16GB (1x16GB) Dual Rank x8 DDR4-3200 CAS-22-22-22 Registered Smart Memory Kit | P07642-X21 |
| HPE 32GB (1x32GB) Dual Rank x4 DDR4-3200 CAS-22-22-22 Registered Smart Memory Kit | P07646-X21 |
| HPE 64GB (1x64GB) Dual Rank x4 DDR4-3200 CAS-22-22-22 Registered Smart Memory Kit | P07650-X21 |
| HPE 16GB (1x16GB) Single Rank x4 DDR4-3200 CAS-22-22-22 Registered Memory Kit | P56425-B21 |
| HPE 32GB (1x32GB) Dual Rank x4 DDR4-3200 CAS-22-22-22 Registered Memory Kit | P56429-B21 |
| HPE 64GB (1x64GB) Dual Rank x4 DDR4-3200 CAS-22-22-22 Registered Memory Kit | P56431-B21 |

## Load-reduced Memory Kits

| | |
|---|---|
| HPE 128GB (1x128GB) Quad Rank x4 DDR4-2933 CAS-21-21-21 Load Reduced Smart Memory Kit | P11040-X21 |
| HPE 128GB (1x128GB) Quad Rank x4 DDR4-3200 CAS-22-22-22 Load Reduced Smart Memory Kit | P06037-X21 |
| HPE 256GB (1x256GB) Octal Rank x4 DDR4-3200 CAS-26-22-22 Load Reduced 3DS Smart Memory Kit | P06039-X21 |
| HPE 128GB (1x128GB) Quad Rank x4 DDR4-3200 CAS-22-22-22 Load Reduced Smart Memory Kit | P07652-X21 |
| HPE 256GB (1x256GB) Octal Rank x4 DDR4-3200 CAS-26-22-22 Load Reduced 3DS Smart Memory Kit | P07654-X21 |

**Notes:**

- The -B21 memory SKUs shown in this document are to be used when ordering stand-alone memory only. For each -B21 SKU, there is a corresponding -F21 SKU which is to be used when configuring servers with integrated memory DIMMs.
- New Hewlett Packard Enterprise Hardware Products may be manufactured using new materials or new and used materials equivalent to, or better than, new in performance and reliability, including newer materials that may not have been available at the time that the hardware product was originally introduced.
- Memory DIMM availability for a specific server platform is dependent upon completion of certification testing.
- Memory compatibility may vary or be limited within a specific server family depending upon the specific configuration being requested. Because each server environment and requirements can vary, memory compatibility is based not only upon the server family, but may also be affected by the amount and type of additional hardware options installed within a specific server configuration. For this reason, some HPE memory DIMMs may be qualified for a server model or family and yet occasionally not be supported with limited configurations within that server family.
- Please consult with the HPE server QuickSpecs or your HPE representative if you have any questions regarding memory compatibility with a specific HPE server configuration.

## Fast Fault Tolerance Factory Setting

HPE Smart Memory Fast Fault Tolerance FIO Setting 875293-B21

**Notes:** Select this part number to enable HPE Fast Fault Tolerance, which allows server memory to run at the resiliency of double device data correction (DDDC), but with significantly higher performance. HPE Fast Fault Tolerance is available on all HPE Gen10 servers with an Intel® central processing unit.

## Support for Sub-NUMA Clustering (SNC) with 12 DIMMs (Gen10 Plus)

HPE 12 DIMM SNC2 Hemi SGX FIO Enablement Kit P26933-B21

**Notes:** Select this part number (known as a trigger SKU) to indicate how the memory should be configured in the unbalanced 12 DIMM configuration.

Overview

XXXXXX**-X21** is SKU designation formed by a common six-digit part number and a **-X21** suffix that identifies a SKU that is available across multiple server family lines. Refer to the table below to find the SKU suffix that applies to the specific server product line this option can be ordered with.

| -B21 | -H21 | -K21 |
|---|---|---|
| **COMPUTE** | **SPECIALIZED COMPUTE** | **STORAGE** |
| HPE Cloudline CL2100/CL2200/CL2800/CL3100/CL4100/CL5200/CL5800 Servers<br>HPE Composable Cloud for ProLiant DL<br>HPE Converged System 700/750<br>HPE ProLiant BL460c/BL660c Servers<br>HPE ProLiant DL20/DL160/DL180 Servers<br>HPE ProLiant DL325/DL360/DL380/DL385/DL560/DL580 Servers<br>HPE ProLiant DX360/DX380 Servers<br>HPE ProLiant DX170r/DX190r/DX200/DX560/DX4200 Servers<br>HPE ProLiant MicroServer<br>HPE ProLiant for Microsoft Azure Stack<br>HPE ProLiant ML30/ML110/ML350 Servers<br>HPE Synergy 480/660 Systems<br>HPE Synergy D3940 Storage Module | HPE Apollo 35/40/70 Systems<br>HPE Apollo 2000/6000 Servers<br>HPE XL170r/XL190r/XL270d (Apollo 6500) Gen10 Server for BlueData Software<br>HPE Converged System 300/500<br>HPE Edgeline Systems and Servers<br>HPE Integrity BL860c i6/BL870c i6/BL890c i6 Server Blades<br>HPE Integrity MC990 X Server<br>HPE Integrity rx2800 i6 Server<br>HPE Integrity Superdome<br>HPE SGI 8600 System<br>HPE Solutions for SAP HANA (TDI)<br>HPE Apollo Systems for BlueData Software | HPE Apollo 4200 Gen9/Gen10 Servers<br>HPE Apollo 4200 Gen10 LFF Server for BlueData Software<br>HPE Apollo 4510 Gen10 System<br>HPE D3000/D6020/D8000 Disk Enclosures<br>HPE D2220sb/D2500sb Storage Blade<br>HPE Scalable Object Storage with Scality RING<br>HPE SimpliVity 2600<br>HPE SimpliVity 325/380 Gen10<br>HPE Storage File Controllers<br>HPE StoreEasy 1460/1560/1650/1660/1860 |

**Notes: Disclaimer**: This may not be a complete listing of applicable servers

## What is HPE Smart Memory?

HPE Smart Memory uniquely optimizes memory performance on the HPE ProLiant Rack and Tower servers, Apollo family servers, Blade systems, and Synergy systems. Authenticated HPE Smart Memory supports extended memory performance in the competitive landscape and provides customers with service enhancement through HPE Active Health System and other HPE proprietary software.

## Quality and Performance

HPE Smart Memory undergoes a rigorous qualification process to provide customers with the highest server memory quality options. Its performance is tested and optimized for HPE servers, supporting unique features only available with HPE servers and systems. In addition, it enhances memory throughput up to 23% and achieves an improvement in latency of up to 25%.

## HPE Active Health System

HPE Smart Memory works in conjunction with the HPE Active Health System which monitors changes to the server hardware configuration to enable lifecycle monitoring of memory health status. Having insight into memory-related service events will shorten problem diagnosis and deliver rapid resolutions if and when failures occur. Whereas the pre-failure alert simply notifies the administrator of an impending failure, HPE Smart Memory can provide rich insight into memory-related events like multi-bit errors or configuration issues.

## Other Resources

For the latest updates on HPE Server Options, visit: https://www.hpe.com/us/en/servers/memory.html
For more information on HPE Persistent Memory options, visit:
https://www.hpe.com/us/en/servers/persistent-memory.html

## Service and Support


For the most up-to-date information on HPE Services, please refer to the HPE Services – Supplemental QuickSpecs, which provides a comprehensive and regularly updated overview of available services.

## Memory Speed by Processor Model

For details on HPE server memory speeds, visit: http://www.hpe.com/docs/memory-speed-table

### Memory options part number decoder

### Short Name



Summary of Changes

| Date | Version History | Action | Description of Change |
|---|---|---|---|
| 21-Sep-2026 | Version 2 | Changed | Services and Support section was updated. |
| | | Removed | Obsolete SKUs removed. |
| 06-Apr-2026 | Version 1 | New | New QuickSpecs. |

Have feedback on QuickSpecs? We're listening

Chat now

© Copyright 2026 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.
Xeon and Intel are registered trademarks of Intel Corporation.

a50014652enw - 17415 - Worldwide - V2 - 21-September-2026
HEWLETT PACKARD ENTERPRISE
HPE.com